
<u>Reader Collection</u> > <u>Exhibitions</u> > Japanese woodblock prints of flowers and birds by one hundred artists



Introduction

The term Japanese woodblock print is used to describe a form of Japanese pictorial art which is produced using woodblock printing. In this method of printing the picture design is first outlined on the surface of a piece of wood. Areas surrounding this outline are then chiseled away. Next, ink is applied to the outline, followed by a piece of paper, and the back of the paper is rubbed to transfer the picture outline to paper. To create a multi-colored print the piece of paper is placed sequentially on a series of wooden blocks each carved and inked differently to show a particular portion of the design.

The first Japanese woodblock prints were produced in the ninth century. They depicted religious deities or priests and were sold as devotional aids. In the seventieth century, the rise of a pleasure-seeking Japanese middle class created a new demand for non-religious images which stimulated the senses and expressed emotion. Colorful flowers and birds were among the new subjects depicted in woodblock prints. These flower and bird prints (hereafter abbreviated as FBP) were sold either individually or as a series bound together in a picture book. Since the late seventieth century more than 3400 FBP have been published in picture books and an additional 2300 FBP designs sold individually.

The Reader Collection of Japanese Art includes about 3200 FBP. One hundred of these prints are featured in this virtual exhibition to illustrate the work of notable contributors to this art form, chosen based on the number of FBP they produced. A representative work of each of these one hundred artists is included below with artists arranged in descending order of their total FBP production. The following information is provided for each FBP: artist's name and total number of flower and bird prints (s)he produced, names of the flower and bird species depicted, title of the picture book in which the print was published, if appropriate, publication date and print size.

Additional Reading

Newland, Amy Reigle. 2005. The Hotei Encyclopedia of Japanese Woodblock Prints. Hotei Publishing, Amsterdam.

Hiroshige Utagawa, more than 450 FBP, cotton-rose (*Hibiscus mutabilis*) and common kingfisher (*Alcedo atthis*), 1830s, 115 x 350 mm



Bairei Kōno, more than 240 FBP, florist's chrysanthemum (*Chrysanthemum grandiflorum*), Indian chrysanthemum (*Chrysanthemum indicum*) and green-winged teal (*Anas crecca*), included in Bairei Kachō Gafu (Picture Album of Flowers and Birds by Bairei), 1899, 250 x 370 mm



3 **Koson Ohara**, more than 180 FBP, plum (*Prunus mume*) and black-naped oriole (*Oriolus chinensis*), early 1900s, 190 x 355 mm

4 **Rakusan Tsuchiya**, more than 160 FBP, Japanese creeper (*Parthenocissus tricuspidata*) and red-flanked bluetail (*Tarsiger cyanurus*), 1930s, 380 x 250 mm






Keinen Imao, more than 120 FBP, morning-star lily (*Lilium concolor*) and Japanese thrush (*Turdus cardis*), included in Keinen Kachō Gafu (Picture Album of Flowers and Birds by Keinen), 1891-2, 255 x 370 mm




Hokusai Katsushika, more than 100 FBP, sand pear (*Pyrus pyrifolia*) and white wagtail (*Motacilla alba*), included in Hokusai Gaen (Collection of Pictures by Hokusai), 1877, 160 x 230 mm



7 **Morinori Sekichūshi**, more than 90 FBP, Hall crabapple (*Malus halliana*) and blacknaped oriole (*Oriolus chinensis*), included in Gazu Hyakkachō (Pictures of One-Hundred Flowers and Birds), 1729, 180 x 250 mm 8 **Morikuni Tachibana**, more than 80 FBP, cherry (*Prunus* sp.) and green pheasant (*Phasianus versicolor*), included in Ehon Shahō Bukuro (Picture Book of a Bag of Sketching Treasures), 1720, 320 x 225 mm







9 **Bunrei Mawkawa**, more than 80 FBP, Japanese iris (*Iris ensata*) and water rail (*Rallus aquaticus*), included in Bunrei Kachō Gafu (Picture Album of Flowers and Birds by Bunrei), 1885, 245 x 360 mm



10 **Kiyoshi Takizawa**, more than 75 FBP, hollyhock (*Alcea rosea*) and yellow bunting (*Emberiza sulphurata*), inlcuded in Senryūdō Gafu Kachō no Bu (Picture Album by Senryūdō Flower and Bird Part), 1905, 155 x 225 mm



Taito II Katsushika, more than 70 FBP, plum (*Prunus mume*), Siberian rubythroat (*Luscinia calliope*) and flycatcher (*Ficedula* sp.), included in Kachō Gaden (Drawing Methods for Flowers and Birds), 1848, 300 x 240mm





Ginkō Adachi, more than 65 FBP, left top - heavenly bamboo (*Nandina domestica*) and winter wren (*Troglodytes troglodytes*), left bottom - leopard plant (*Farfugium japonicum*) and black-billed magpie (*Pica pica*), right - Japanese wisteria (*Wisteria floribunda*) and common kingfisher (*Alcedo atthis*), included in Ginkō Manga (Sketches by Ginkō), 1902, 150 x 225 mm



13 **Shōun Yamamoto**, more than 65 FBP, Plum (*Prunus mume*) and Eurasian tree sparrow (*Passer montanus*), early 1900s, 85 x 205 mm



14 **Hiroshige III Utagawa**, more than 60 FBP, Crape myrtle (*Lagerstroemia indica*) and bull-headed shrike (*Lanius bucephalus*), included in Kachō Zue (Pictures of Flowers and Birds), 1870s, 125 x 180 mm



15 **Shigenaga Nishimura**, more than 50 FBP, Japanese iris (*Iris ensata*), Chinese arrowhead (*Sagittaria trifolia*) and mandarin duck (*Aix galericulata*), early 1700s, 155 x 310 mm




16 **Sugakudō Nakayama**, more than 45 FBP, Japanese mountain cherry (*Prunus serrulata*) and Japanese robin (*Erithacus akahige*), included in Shō Utsushi Shijū-hachi Taka (Exact Likeness of Forty-Eight Hawks), 1859, 245 x 360 mm



Kashū Numata, more than 40 FBP, Japanese witch-hazel (*Hamamelis japonica*) and Bohemian waxwing (*Bombycilla garrulus*), included in Shūchō Gafu (Picture Album of Bird Drawings), 1885-90, 175 x 245 mm

Shigemasa Kitao, more than 40 FBP, plantain lily (*Hosta* sp.) and Ryūkyū robin (*Erithacus komadori*), included in Shashin Kachō Zue (Naturalistic Pictures of Flowers and Birds), 1805-27, 320 x 225 mm








Rinsai Shiba, more than 40 FBP, common garden peony (*Paeonia lactiflora*) and green peafowl (*Pavo muticus*), included in Shinsen Sanjūroku Kachō (Thirty-six Newly Selected Flowers and Birds), 1880s, 250 x 365 mm



Gessō Yoshimoto, more than 40 FBP, fringed pink (*Dianthus superbus*) and northern lapwing (*Vanellus vanellus*), early 1900s, 140 x 260 mm



Yoshiharu Utagawa, more than 40 FBP, cherry (*Prunus* sp.) and mandarin duck (*Aix galericulata*), included in Shinsen Kachō Zue (Newly Selected Pictures of Flowers and Birds), 1878, 120 x 180 mm



Yoshiharu Kimura, more than 40 FBP, opium poppy (*Papaver* sp.) and Indian peafowl (*Pavo cristatus*), 1972, 710 x 520 mm




Koryūsai Isoda, more than 35 FBP, rose-of-sharon (*Hibiscus syriacus*) and long-tailed tit (*Aegithalos caudatus*), late 1700s, 165 x 230 mm




Katei Taki, more than 35 FBP, sacred lotus (*Nelumbo nucifera*) and grey wagtail (*Motacilla cinerea*), included in Tansei Ippan (Models for Painting), 1894, 320 x 165 mm



Ōsui Asai, more than 35 FBP, silktree (*Albizzia julibrissin*) and barn swallow (*Hirundo rustica*), included in Kachō Gafu (Picture Album of Flowers and Birds), 1879, 150 x 215 mm









27 **Rōsai**, more than 35 FBP, tree peony (*Paeonia suffruticosa*) and silver pheasant (*Lophura nycthemera*), included in Kachō Gafu (Picture Album of Flowers and Birds), 1880s, 115 x 170 mm




28 **Eisen Ikeda**, more than 35 FBP, common reed (*Phragmites australis*), mandarin duck (*Aix galericulata*) and green pheasant (*Phasianus versicolor*), included in Eisen Gafu Shohen (Picture Album by Eisen First Volume), 1849, 125 x 180 mm





29 **Masayoshi Keisai**, more than 35 FBP, common reed (*Phragmites australis*) and white-fronted goose (*Anser albifrons*), included in Shinki Issō (Clean Sweep of the Mind), 1814, 185 x 250 mm



30 **Seitei Watanabe**, more than 35 FBP, Japanese knotweed (*Fallopia japonica*) and blue-and-white flycatcher (*Cyanoptila cyanomelana*), 1916, 375 x 280 mm



Shūzan Yoshimura, more than 30 FBP, plum (*Prunus mume*), great tit (*Parus major*), white wagtail (*Motacilla alba*), mallard duck (*Anas platyrhynchos*) and brown-eared bulbul (*Ixos amaurotis*), included in Wakan Meihitsu Gahō (Outstanding Japanese and Chinese Painting Treasures), 1767, 360 x 270 mm

Hōbun Kikuchi, more than 30 FBP, weeping cherry (*Prunus subhirtella*) and barn swallow (*Hirundo rustica*), included in Hōbun Gafu (Picture Album by Hōbun), 1890, 165 x 240 mm







Hōitsu Sakai, more than 30 FBP,


left - lespedeza (*Lespedeza* sp.) and goose (*Anser* sp.), right - scabious patrinia (*Patrinia scabiosifolia*), and duck (*Anas* sp.), included in Kōrin Hyakuzu (One-Hundred Pictures by Kōrin), 1812, 180 x 250 mm

Shigenobu Yanagawa, more than 25 FBP, Hall crabapple (*Malus halliana*) and meadow bunting (*Emberiza cioides*), included in Yanagawa Gafu Kachō Bu (Picture Album by Yanagawa Flower and Bird Section), 1856, 120 x 180 mm






Gyōsan, more than 25 FBP, peach (*Prunus persica*), rape (*Brassica napus*), Chinese milk-vetch (*Astragalus sinicus*), violet (*Viola* sp.) and domestic fowl (*Gallus gallus*), 1880s, 250 x 375 mm




Shiseki Sō, more than 25 FBP, balsam-apple (*Momordica charantia*) and light-vented bulbul (*Pycnonotus sinensis*), included in Sō Shiseki Gafu (Picture Album by Sō Shiseki), 1765, 360 x 270 mm





Tomoko Kyūki, more than 25 FBP, raspberry (*Rubus* sp.) and brown-eared bulbul (*Ixos amaurotis*), 2011, 100 x 150 mm







Ryōtai Tatebe, more than 20 FBP, common reed (*Phragmites australis*) and common kingfisher (*Alcedo atthis*), included in Mōkyō Wakan Zatsuga (Miscellaneous Pictures of Japan and China by Mōkyō), 1762, 390 x 265 mm





Shūken Handa, more than 20 FBP, butterfly-flower (*Iris japonica*) and lesser cuckoo (*Cuculus poliocephalus*), included in Kōshōdō Gafu Kusahana no Bu (Picture Album by Kōshōdō Flowering Plant Part), 1891, 150 x 220 mm



41 **Tōshi Yoshida**, more than 20 FBP, Japanese laurel (*Aucuba japonica*) and Daurian redstart (*Phoenicurus auroreus*), 1977, 340 x 540 mm



42 **Kinzan Haruna**, more than 20 FBP, princess tree (*Paulownia tomentosa*) and rock dove (*Columba livia*), included in Kachō Gashū (Collection of Flower and Bird Pictures), 1905, 180 x 250 mm



Utamaro Kitagawa, more than 20 BFP, foxtail millet (*Setaria italica*) and Japanese quail (*Coturnix japonica*), late 1700s, 180 x 265 mm



Gorō Imae, more than 20 FBP, cherry (*Prunus* sp.) and green peafowl (*Pavo muticus*), included in Kachō Gashiki (Painting Style for Flowers and Birds), 1892, 120 x 180 mm



Shizuo Ashikaga, more than 20 FBP, weeping forsythia (*Forsythia suspensa*) and Eurasian bullfinch (*Pyrrhula pyrrhula*), mid-1900s, 300 x 445 mm



Shōkō Uemura, more than 20 FBP, plum (*Prunus mume*) and Eurasian bullfinch (*Pyrrhula pyrrhula*), mid-1900s, 270 x 390 mm




Yūkoku Matsui, more than 20 FBP, morning-star lily (*Lilium concolor*) and varied tit (*Sittiparus varius*), included in Kotori No Negura (Roosts of the Little Birds), 1901, 180 x 250 mm



Kōgyo Tsuskioka, more than 15 FBP, plum (*Prunus mume*) and mandarin duck (*Aix galericulata*), early 1900s, 250 x 240 mm



Ryūsai Ninjō, more than 15 FBP, princess tree (*Paulownia tomentosa*) and mythical hō-ō bird, included in Kachō Zuhen (Illustrations of Flowers and Birds), 1882, 150 x 225 mm









51 Yoshitsuna Utagawa, more than 15 FBP,

Japanese persimmon (*Diospyros kaki*) and Japanese white-eye (*Zosterops japonicus*), included in Ehon Kachō Soroi (Complete Picture Book of Flowers and Birds), 1860s, 180 x 120 mm





52 **Satarō Nagao**, more than 15 FBP, cotton-rose (*Hibiscus mutabilis*) and red avadavat (*Amandava amandava*), included in Kachō Sōmoku Saishiki Gafu (Dainty Picture Album of Flowers, Birds and Plants), 1891, 180 x 120 mm



53 **Bakufū Ohno**, more than 15 FBP, China rose (*Rosa chinensis*) and Siberian blue robin (*Luscinia cyane*), mid-1900s, 265 x 390 mm



54 **Sōzan Itō**, more than 15 FBP, Japanese-pepper (*Zanthoxylum piperitum*) and Daurian redstart (*Phoenicurus auroreus*), early 1900s, 260 x 175 mm




55 **Seisai Itō**, more than 15 FBP, Chinese milk-vetch (*Astragalus sinicus*), dandelion (*Taraxacum* sp.), violet (*Viola* sp.) and skylark (*Alauda arvensis*), included in Shunjū Nishiki-e (Brocade Pictures of Spring and Fall), 1881, 165 x 245 mm



56 **Eiichi Kotozuka**, more than 15 FBP, lespedeza (*Lespedeza* sp.), eulalia grass (*Miscanthus sinensis*), knotweed (*Polygonum* sp.) and Japanese quail (*Coturnix japonica*), mid-1900s, 205 x 145 mm



57 **Kanrin Okada**, more than 15 FBP, sweet osmanthus (*Osmanthus fragrans*) and black bulbul (*Hypsipetes leucocephalus*), included in Kanrin Gafu (Picture Album by Kanrin), 1845, 370 x 270 mm







58 **Itsujirō Miwa**, more than 15 FBP, China rose (*Rosa chinensis*) and green pheasant (*Phasianus versicolor*), included in Shoshoku Hikkei Kachō Gafu (Picture Album of Flowers and Birds, a Manual for Artisans), 1890, 110 x 170 mm



59 **Kōyō Nakagawa**, more than 15 FBP, florist's chrysanthemum (*Chrysanthemum grandiflorum*) and varied tit (*Sittiparus varius*), 1930, 240 x 345 mm

60 **Kyōzō Yamada**, more than 15 FBP, Asiatic dayflower (*Commelina communis*) and mandarin duck (*Aix galericulata*), 1935, 390 x 295 mm





Unga Tachibana, more than 15 FBP, common reed (*Phragmites australis*) and little ringed plover (*Charadrius dubius*), included in Banshō Gashiki (Drawing Methods for All Things in the Universe), 1894, 300 x 225 mm





Raijirō Ichikawa, more than 10 FBP, Japanese banana (*Musa basjoo*), aster (*Aster* sp.), domestic fowl (*Gallus gallus*) and Eurasian tree sparrow (*Passer montanus*), included in Kansai Gafu (Picture Album by Kansai), 1891, 175 x 240 mm




Gyōsui, more than 10 FBP, fan columbine (*Aquilegia flabellata*) and varied tit (*Sittiparus varius*), early 1900s, 130 x 260 mm



Shōtei Takahashi, more than 10 FBP, plum (*Prunus mume*) and Japanese bush-warbler (*Cettia diphone*), mid-1900s, 150 x 100 mm



Moronobu Hishikawa, more than 10 FBP, plum (*Prunus mume*) and Japanese bush-warbler (*Cettia diphone*), included in Iwaki Ezukushi (Collection of Pictures of Rocks and Trees), 1683, 370 x 260 mm





Bunchō Tani, more than 10 FBP, common reed (*Phragmites australis*) and white-fronted goose (*Anser albifrons*), included in Bunchō Gafu (Picture Album by Bunchō), 1807, 160 x 230 mm



Sadahide Utagawa, more than 10 FBP, cherry (*Prunus* sp.) and woodpecker (*Dendrocopos* sp.), included in Banshō Shashin Zufu (Varieties of Natural Phenomena), 1864, 120 x 180 mm









Yonezō Kobayashi, more than 10 FBP, scabious patrinia (*Patrinia scabiosifolia*), eulalia grass (*Miscanthus sinensis*), black-billed magpie (*Pica pica*) and Japanese quail (*Coturnix japonica*), included in Shashin Tori Kagami (Mirror of Birds in Naturalistic Representation), 1880, 180 x 120 mm



Eitaku Kobayashi, more than 10 FBP, right- Japanese wisteria (*Wisteria floribunda*) and common kingfisher (*Alcedo atthis*), included in Banbutsu Hinagata Gafu (Picture Album of Models for Many Things), 1880, 150 x 230 mm




Takematsu Takahashi, more than 10 FBP,
Japanese wisteria (*Wisteria floribunda*), common garden peony (*Paeonia lactiflora*), leopard plant (*Farfugium japonicum*) and barn swallow (*Hirundo rustica*), included in Sōmoku Kachō Zue (Collection of Pictures of



Hokkei Totoya, more than 10 FBP, rape (*Brassica napus*) and green pheasant (*Phasianus versicolor*), early 1800s, 185 x 205 mm




73 **Tomikichirō Tokuriki**, more than 10 FBP, Japanese chestnut (Castanea crenata) and northern goshawk (Accipiter gentilis), late 1900s, 300 x 780 mm



74 Unzan Yamazaki, more than 10 FBP, rush (Juncus sp.), mallard duck (Anas platyrhynchos) and common kingfisher (Alcedo atthis), included in Unzan Gafu (Picture Album by Unzan), 1880, 190 x 150 mm








Gyokuei Nabeta, more than 10 FBP, oak (*Quercus serrata*), woodpecker (*Dendrocopos* sp.), included in Mōhitsu Kachō Gajō (Picture Album of Flowers and Bird Brush Paintings), 1899, 180 x 120 mm



Sadatoshi Nakaji, more than 10 FBP, camellia (*Camellia japonica*) and great tit (*Parus major*), included in Ehon Hitsuyō (The Indispensable Book for Painting), 1751, 360 x 255 mm






77 **Gyokushō Kawabata**, more than 10 FBP, Japanese bindweed (*Calystegia japonica*) and Eurasian tree sparrow (*Passer montanus*), early 1900s, 235 x 235 mm




78 **Kōtei Fukui**, more than 10 FBP, kudzu (*Pueraria lobata*) and Japanese quail (*Coturnix japonica*), included in Kachō Gafu (Picture Album of Flowers and Birds), 1896, 360 x 250 mm






Suikō Fukuda, more than 5 FBP, foxtail millet (*Setaria italica*), aster (*Aster* sp.) and Japanese quail (*Coturnix japonica*), 1936, 265 x 400 mm



Kanpo Araki, more than 5 FBP, weeping cherry (*Prunus subhirtella*) and green pheasant (*Phasianus versicolor*), included in Mōhitsu Etehon (Practice Book of Brush Paintings), 1897, 320 x 225 mm



Kazan Watanabe, more than 5 FBP, sweet osmanthus (*Osmanthus fragrans*) and Eurasian bullfinch (*Pyrrhula pyrrhula*), included in Kazan Gafu (Picture Album by Kazan), 1907, 330 x 255 mm




Toyohiro Utagawa, more than 5 FBP, plum (*Prunus mume*) and cockatoo (*Cacatua* sp.), early 1800s, 165 x 220 mm




Kagei Tatebayashi, more than 5 FBP, egret orchid (*Habenaria radiata*) and little ringed plover (*Charadrius dubius*), included in Kōrin Manga (Sketches by Kōrin), 1817, 160 x 240 mm

Gesshō Chō, more than 5 FBP, heavenly bamboo (*Nandina domestica*) and brown-eared bulbul (*Ixos amaurotis*), included in Fukei Gasō (Thicket of Pictures Without Shapes), 1817, 360 x 265 mm







Kagematsu Utagawa, more than 5 FBP, dandelion (*Taraxacum* sp.) and green pheasant (*Phasianus versicolor*), included in Dokushū Mōhitsu Etehon (Practice Book of Brush Painting for Self Learning), 1840s, 250 x 175 mm





Gyokusuisai Fujiwara, more than 5 FBP, plum (*Prunus mume*) and turtle-dove (*Streptopelia* sp.), included in Gazu Senyō (Selected Essentials of Painting), 1766, 175 x 260 mm



Hodō Nishimura, more than 5 FBP, cherry (*Prunus* sp.) and rock dove (*Columba livia*), 1937, 270 x 410 mm



Hanko Kajita, more than 5 FBP, florist's chrysanthemum (*Chrysanthemum grandiflorum*) and Japanese quail (*Coturnix japonica*), early 1900s, 325 x 230 mm



Sesshōsai Shigefusa, more than 5 FBP, Fukien orchid (*Cymbidium ensifolium*) and Eurasian tree sparrow (*Passer montanus*), included in Ehon Shūyō (Gathering of Leaves Picture Book), 1751, 180 x 255 mm

Mannen Suzuki, more than 5 FBP, florist's chrysanthemum (*Chrysanthemum grandiflorum*) and goldcrest (*Regulus regulus*), included in Yamato Nishiki Dai Shihen Mokuroku (Japanese Brocade 4th Edition Catalog), 1892, 180 x 120 mm





91 **Shikō Munakata**, more than 5 FBP, camellia (*Camellia japonica*) and mandarin duck (*Aix galericulata*), 1955, 310 x 390 mm



92 **Shumman Kubo**, more than 5 FBP, Chinese quince (*Chaenomeles speciosa*), aster (*Aster* sp.) and green pheasant (*Phasianus versicolor*), early 1800s, 180 x 220 mm



Kakō Tsuji, more than 5 FBP, fringed pink (*Dianthus superbus*) and oriental greenfinch (*Carduelis sinica*), early 1900s, 225 x 325 mm



Chikutō Nakabayashi, more than 5 FBP, common reed (*Phragmites australis*), aster (*Aster* sp.) and white-fronted goose (*Anser albifrons*), included in Chikutō Kachō Gafu (Picture Album of Flowers and Birds by Chikutō), early 1900s, 380 x 280 mm



95 **Shirō Takagi**, more than 5 FBP, florist's chrysanthemum (*Chrysanthemum grandiflorum*) and rock dove (*Columba livia*), late 1900s, 310 x 370 mm



96 **Suiun Komuro**, more than 5 FBP, Chinese smilax (*Smilax china*) and varied tit (*Sittiparus varius*), early 1900s, 370 x 270 mm



Bihō Takahashi, more than 5 FBP, wintersweet (*Chimonanthus praecox*) and Eurasian bullfinch (*Pyrrhula pyrrhula*), early 1900s, 245 x 270 mm



Chikuseki Yamamoto, more than 5 FBP, sasanqua camellia (*Camellia sasanqua*) and Eurasian tree sparrow (*Passer montanus*), early 1900s, 250 x 240 mm



99 **Jō**, more than 5 FBP, Japanese iris (*Iris ensata*) and barn swallow (*Hirundo rustica*), early 1900s, 185 x 390 mm



100 **Kan'ei Nishiyama**, more than 5 FBP, wintersweet (*Chimonanthus praecox*) and varied tit (*Sittiparus varius*), included in Kan'ei Gafu (Picture Album by Kan'ei), 1886, 370 x 265 mm



Back to Exhibitions